

Pacific Pests, Pathogens and Weeds - Online edition

Breadfruit leaf blotch (323)

Common Name

Breadfruit leaf blotch

Scientific Name

Pseudocercospora artocarpicola

Distribution

South and Southeast Asia, Oceania. Recorded from Cook Islands, Fiji (Rotuma island), Niue, Papua New Guinea, Samoa, Tonga, and Vanuatu.

Hosts

Breadfruit

Symptoms & Life Cycle

Leaf spots absent; dingy dark-brown to blackish sooty mould growth on lower surface of leaf (Photo 1). The spores are spread in the wind.

Impact

A minor disease of little economic impact on breadfruit.

Detection & inspection

Look for the sooty mould growth on the underside of the leaves.

Management

There is no treatment suggested for this disease as it is of little or no economic importance.



Photo 1. Leaf blotches on the underside of breadfruit, producing spores of *Pseudocercospora artocarpicola*.

AUTHORS Grahame Jackson & Eric McKenzie
Information from (and Photo 1) McKenzie E (2013) *Pseudocercospora artocarpicola*: PaDIL - (<http://www.padil.gov.au>).

Produced with support from the Australian Centre for International Agricultural Research under project PC/2010/090: *Strengthening integrated crop management research in the Pacific Islands in support of sustainable intensification of high-value crop production*, implemented by the University of Queensland and the Secretariat of the Pacific Community.

Copyright © 2021. All rights reserved.



Australian Government
Australian Centre for
International Agricultural Research



Web edition hosted at <https://apps.lucidcentral.org/pppw>